


A SYNOPSIS OF

DERMATOLOGY.





Palm of Syphilitic-Lepra.

Hands,

ERYTHEMA.

*			FOR 7	THE	COMPILED BY F. M. BLODGETT, M. D., BOSTON. HE USE OF PHYSICIANS AND STUDENTS. Published by JAMES CAMPBELL, BOSTON, Mass.									
Copyright, 1876. James Campbell.						PROF. WHITE'S CLINIC,		DEDMATIO ANIATON		Rochwell & Churchill, Printers, 30 Arch Street, Boston. FROM				
HEBRA'S PATHOLOGY.				PIFFARD'S ETIOLOGY.			Mass. General Hospital.		DERMATIC ANATON		TILBURY FOX.			
CLASS.	CLASS. VARIETIES. CLASS. VARIETIES.			GROUP. CLASS. VARIETY.			RATIO IN 5,000 CASES.		PATHOLOGICAL LESIONS OF THE SKIN.		=	SEAT OF DISEASE.		
	PIGMENT.		PICMENT	ERYTHEMATOUS.			ABSCESS. 6		MACULES.	MACULES.			Parasitic. Kerion.	
1.	Diseases of the skin, which arise	VI.	Lentigo.			PAPULAR.	ACNE. AMBUSTIO. (Burns) (Scalds)	348 7	-		10	Scaln. \prec	ECZEMA. IMPETIGO. ALOPECIA. SEBACEOUS CYST.	
Hyperæmiae,	from the presence of an excess of blood in the capillary vessels of the		CHLOASMA.			Tubercular.	ALOPECIA-AREATA. ALOPECIA. (Baldness)	17 13			PROSY.		Lepra.	
	cutis.		MELASMA.		SYPHLIDES.	VESICULAR. Bullous.	BROMIDROSIS. (Fetid Sweat) CHLOASMA. (Discoloration)	1 16	Are small circumscribed discolorations of the			Ears, {	Eczema.	
			KERATOSES.			Pustular.	COMEDO. (Black Heads) (Grubs) CONDYLOMA.	3 2	skin, attended with very slight or without any		RPURA.			
11	Morbid appearances of the skin,		TYLOMA.			SQUAMOUS.	CORNU-CUTANEUM. DERMATITIS.	1 34	elevation of surface, and are dependent upon either congestion, hemorrhage, vascular dilation,		OFULA. Fo	orehead, {	Lepra. Herpes Zoster.	
Anæmiae,	aused by deficiency of blood in the		Ichthyosis.	1.		ERYTHEMATOUS.	ECTHYMA. ECZEMA.	55 2242	or excess or absence of pigment.	SYPHILIS.			RODENT ULCER. CHROMIDROSIS. XANTHELASMA. MOLLUSCUM.	
	entaneous capillaries.	Hypertrophies,	VERRUCA. CORNU.	Diathetic	C	Corneous.	EPITHELIOMA.	25	PAPULES.	PAPULES.		(Acne. Impetigo-Contag.	
			CONDYLOMA.	Affections,	SCROFULIDES.	PUSTULAR. TUBERCULAR.	ERYSIPELAS. ERYTHEMA-EX. MULT.	52 73				Face	Erysipelas. Lichen. Erythema.	
			HIRSUTIES. SCLERODERMA.			Phlegmonous.	ELEPHANTIASIS-ARABUM. ERYTHEMA NODOSUM.	5 8		RUBEOLA. S	SCABIES. Ge	enerally,	Syphilitic-Emptions.	
111.	SEBACEOUS GLANDS.		ELEPHANTIASIS-ARABUM.			ECZEMA.	FOLLICULITIS (Heat). FURUNCULOSIS. (Boils)	12 65	Are small, solid elevations of the skin.	STROPHULUS. S VARIOLA.	SYPHILIS.	Nose, {	Lupus. Acne-Rosacea.	
Disorders	SEBORRHŒA.				RHEUMIDES.	Psoriasis.	HERPES. HERPES-ZOSTER.	28 73	TUBERCLES.	TUBERCLES.			Lupus. Acne-Rosacea.	
Disorders	XERODERMA. MOLLUSCUM-CONTAGIOSUM.	VII.	LEUCODERMA.			PITYRIASIS.	HIRSUTIES. (Hair Growths) HYPERAESTHESIA.	1	TOBERCLES.	Acne.	C	1	MALIGNANT-PUSTULE.	
of	MILLIUM.	Atrophies,	MACULÆ-ATROPHICÆ.		T	TUBERCULAR.	HYPERIDROSIS. (Excess Sweat)				KELOID.	non lin	IMPETIGO-SYCOSIFORME. HERPES-LABIALIS.	
	Comedo.	Atrophies,	ALOPECIA.		LEPROSY.	ANÆSTHETIC.	HYPERTROPHIED-SCARS. ICHTHYOSIS.	3 5	Are also solid elevations, but are larger than papules.		LEPROSY. SYPHILIS.		HERPES-LABIALIS.	
the			ATROPHY OF NAILS.		Ichthyosis.	{	IMPETIGO. KELOID. (Mole) (Stain)	19 11	I - Parisi		Lov	wer Lip, {	Epithelioma.	
	SWEAT GLANDS.		(Keloid.				LENTIGO. (Freckles) LEPROSY.	1	VESICLES.	VESICLES.		Chin, {	Sycosis.	
Glands,	Hyperidrosis. Bromidrosis.	VIII.	Hypertrophied-Scars.	GROUP. CLASS.			LEUCODERMA. (Deficent Pigment) LUPUS.	1	TO THE SECOND SECOND	ECZEMA. IMPETIGO- HERPES. SCABIES.	-Contag.	(
		Benign	Molluscum-Fibrosum. Xanthoma.	II. ERUPTIVE FEVERS. ERYSIPELAS.		LUPUS-ERYTHEMATOSUS.	11 6	Are elevations of the horny epidermis cir- cumscribing small collections of serous or plas-	SUDAMINA. VARIOLA.		/hiskers, {	Acne-Sycosiforme.		
		New	Nævus-Vascularis.	Non-			MACULÆ-ATROPHICÆ. MELASMA. (Pigment Deposit)	1 1	mic fluid, in which we usually find a few Leuco-	VARICELLA. ZOSTER.		ngle of {	Congenital-Sypinlis.	
		Growths,	VARIX. LUPUS-ERYTHEMATOSUS.	Affections,	MALIGNANT H	Pustule.	MILIUM. (White Spots of Seb. Glands) MOLLUSCUM-CONTAG.	3 9	cytes.	Syphilis.		Mouth, }		
	VARICELLA.		LUPUS-VULGARIS.		(MOLLUSCUM-FIBROSUM. MORBILLI. (Measles)	2	BULLÆ.	BULLÆ.		Chest, {	Chloasma. Keloid.	
	MEASLES. SCARLATINA.		CCROFULODERMA.	111.	ACNE. URTICARIA.	ROSACEA. ZOSTER.	MUSQUITO-POISONING. NAILS, DISEASES OF.	53		Pemphigus.		Under {	Sudamina.	
	ERYTHEMA-EXUD. MULT.	IX.		Reflex Affections,	CHLOASMATA.		NÆVUS-VASCULARIS.	5 18	Are large vesicles.	Syphilis.		Slavicle, }		
	ERYTHMEA-NODOSUM. URTICARIA.	Malignant	Leprosy.	HERPES. (LABIALIS, PREPUTIALIS, &c.)		PEMPHIGUS. PERINO. (Chilblain) (Frost Bites)	15 7				Outer and	Prurigo. Lichen.		
IV.	DERMATITIS-VENENATA.	New Growths,	EPITHELIOMA.			PHTHEIRIASIS-CAPITIS. (Louse) PHTHEIRIASIS-CORPORIS. "	216 48	PUSTULES.	PUSTULES.		osterior Trunk,			
	DERMATITIS-CALORICA.				1	PARASITIC. PHTHEIRIASIS.	PHTHEIRIASIS-PUBIS. " PRURITUS. (To Itch)	7 50-				Inner		
Exudative	DERMATITIS-TRAUMATIC. DERMATITIS-ERYTHEMA.	Χ.		IV.	SCABIES. FAVUS.	TRICHOPHYTOSIS.	PSORASIS. (Itch) PURPURA. (Purple Skin)	152 19	Are elevations of the epidermis by underly-	ECZEMA. SC	CROFULA. As	pect of	ECZEMA. HERPES-ZOSTER.	
	DERMATITIS-PHLEGMON.	Ulcerations,	ULCERS NON-SYPHILITIC.	Local	1	COLOR. ALOPECIA-AREATA.	RHUS-POISONING. SCABIES. (Itch)	20	ing pus.	SYPHILIS. VA	ARIOLA. the	Trunk, {		
D.	Herpes. Pemphigus.			Affections,	IMPETIGO-CON		SCARLATINA.	139	SCALES.	SCALES.		Elbows { d Knees, }	Lepra. Psoriasis.	
Diseases,	Psoriasis.				Intertrigo.	Nævus.	SCLERODERMA. (Hard Skin) SCROFULODERAMA.	27	JANSHAMMA MANAMA		TYRIASIS.	(Eczema. Psoriasis.	
	ECZEMA.		VEGETABLE. TINEA-TONSURANS.		FURUNCLES. VERRUCÆ.		SEBACEOUS-CYST. SEBORRHŒA.	2 55	Are collections of the cells of the stratum corneum, which have undergone more or less	_	POFILA		Epithelioma.	
	SCABIES. ACNE.		TINEA-VERSICOLOR.				SYPHILODERMA. TINEA-FAVOSA.	327 17	pathological alteration.	TRICHOPHYTOSIS. SCROFULA.		, ,	LICHEN. PITYRIASIS-PILARIS.	
1	Impetigo.	XI.	TINEA-FAVOSA.	ERYTHEMATA. KELOID.		TINEA-TONSURANS. TINEA-VERSICOLOR.	180 81	FISSURES.				Lichen-Scofulosus.		
	ECTHYMA.		ANIMAL. PHTHEIRIASIS-CAPITIS.	V.	Pemphigus.	Molluscum-Contag.	TYLOMA. (Callosities)	2		FISSURES.	0	Glands, (Lichen-Ruber.	
		Parasitic,	PHTHEIRIASIS-CORPORIS.	Affections	Prurigo.	Molluscum-Fibro.	ULCER. URTICARIA. (Nettle Rash)	309 132	Are linear solutions of continuity of varying	ECZEMA. I	LEPROSY. A	ints and frmpits.	Eczema-Rubrum.	
			PHTHEIRIASIS-PUBIS.	of	SCLERIASIS.	LICHEN-PLANUS.	VARICELLA. (Chicken Pox) VARIX. (Varicose Veins)	22	depth and length.			Front S	Erythema-Nodosum.	
V.	Prymery		(Uncertain	STROPHULUS.	LICHEN-RUBER.	VERRUCA. (Warts) XERODERMA. (Scales) (Dry Skin)	14 13	ULCERS.	ULCERS.			Eczema-Rubrum.	
Hæmorrhages,	Purpura.	XII.	PRURITUS.	Nature,	VITILIGO.	Lichen-Scrofulo.	XANTHOMA. (Yellow Skin)	2	Are solutions of continuity of varying depth,	T	B	Back of) Hands,	LICHEN.	

108

5000

ular.

IMPERFECT DIAGNOSIS.

Are solutions of continuity of varying depth,

and whose outline may be circular, oval, or irreg-

INTERTRIGO.

Syphilis.

SCROFULA.

TRAUMATISMS.

PURPURA.

HYPERÆSTHESIA.

Neuroses,